

Eulerian Cradle 512.1

General Information:

The Eulerian cradles of the series 500 can be combined with the goniometers of the series 400 to create multi-circle diffractometers. These can be used for analytical investigations in the fields of X-ray and neutron diffraction.

The Eulerian cradle is a full-circle cradle with an assymetrical design. The Phi- and Chi-circle planes are at right angles to one another.

The motor and signal currents are transmitted via slip rings. This enables an unrestricted rotation around both axes.

A manual Z-adjustment 5104.A05 is incorporated in the Phi-circle, enabling goniometer heads of the series 1000 to be mounted. Also available is a motorised Z-adjustment.

For sample adjustment an optical microscope or an optional CCDcamera is integrated (see Accessories MiniVID).

Both circles are equipped with zero-point controls and step motors. A range of different motor types and specifications is available according to customer requirements.

It is possible to equip the Eulerian cradle with a cryostat mount and/or counter bearings for mounting individually required equipment.

Specifications:

Sphere of confusion [mm]:	0.02***
Parallelity (Chi-plane to Phi-axis) ["]:	<= +/- 10***
Weight [kg]:	64

	Phi-Circle	Chi-Circle
Travel range [°]:	360	360
Gear ratio:	360:1 / 180:1**	360:1
Accuracy ["]:	30	30
Repeatability (unidir.) ["]:	<= 2	<= 3
Reversal error ["]:	<= 10	<= 15
Resolution [°]:	0.001* / 0.002* **	0.001*
Min. drive torque [Nm]:	0.10 / 0.13**	1.5
Flange size [mm]:	56	83


* step motor, 1000 steps/revolution



** using Goniometer 410A

*** with a load of 10kg

Dimensions [mm]:



Accessories:

Motors:	included
Limit switches:	included
Zero-point control:	included
Gear boxes:	2056.05 (Phi)
	2056.10 (Phi)
	2056.20 (Phi)
	2083.05 (Chi)
	2083.10 (Chi)
	2083.20 (Chi)
Encoder:	incremental
	absolute
<u>C</u> 1	
Steuerung:	9300
Steuerung: CCD-camera:	9300 MiniVID
5	
CCD-camera:	MiniVID
CCD-camera:	MiniVID 512.12
CCD-camera: Cryostat mount:	MiniVID 512.12 512.12M
CCD-camera: Cryostat mount: Counter bearing:	MiniVID 512.12 512.12M 512.11



